VOLUME OF

The best of outdoor living

Patios - Poolsides - Walkways - Driveways

Paver - Pool Coping - Mosaic - Design Materials









TRAVERTINE - MARBLE - LIMESTONE

NATURAL STONE HARDSCAPES






CONTENTS

PAVER TILE 4-15
POOL COPING 16-21
MOSAIC 22-35
CONSTRUCTION 36-41
CUMSTOM FABRICATION 42-43












IVORY TRAVERTINE TUMBLED PAVER

Available in following sizes
6x12x1.25 - 12x12x1.25 - 16x16x1.25 - 16x24x1.25 - 12x24x1.25 - 24x24x1.25 24x36x1.25 - French Pattern 1.25



SILVER TRAVERTINE TUMBLED PAVER

Available in following sizes
6x12x1.25 - 12x12x1.25 - 16x16x1.25 - 16x24x1.25 - 12x24x1.25 - 24x24x1.25
24x36x1.25 - French Pattern 1.25





PAVER TILE

Pavers create dissimilar and esthetic lines in modern design outdoor applications. Keep its unique appearance for many years by its resistance against the external influences and its unique structure.







DARK WALNUT TRAVERTINE TUMBLED PAVER

Available in following sizes 6x12x1.25 - 12x12x1.25 - 16x24x1.25 - 12x24x1.25 - 24x24x1.25 French Pattern 1.25



LIGHT WALNUT TRAVERTINE TUMBLED PAVER

Available in following sizes 16x24x1.25 - 12x24x1.25 - 24x24x1.25 - French Pattern 1.25




NUANCE TRAVERTINE TUMBLED PAVER

Available in following sizes 6x12x1.25 - 12x12x1.25 - 16x16x1.25 - 16x24x1.25 - 12x24x1.25 - 24x24x1.25 French Pattern 1.25



NOCE TRAVERTINE TUMBLED PAVER

Available in following sizes
6x12x1.25 - 12x12x1.25 - 16x16x1.25 - 16x24x1.25 - 12x24x1.25 - 24x24x1.25
24x36x1.25 - French Pattern 1.25







LEONARDO TRAVERTINE TUMBLED PAVER

Available in following sizes 6x12x1.25 - 16x24x1.25 - 12x24x1.25 - French Pattern 1.25



COUNTRY CLASSIC TRAVERTINE TUMBLED PAVER

Available in following sizes
French Pattern 1.25






AUTUMN TRAVERTINE TUMBLED PAVER

Available in following sizes 6x12x1.25 - 16x24x1.25 - 12x24x1.25 - French Pattern 1.25

EATURED: LEONARDO TRAVERTINE TUMBLED FRENCH PATTERN







SHELL STONE LIMESTONE TUMBLED PAVER

Available in following sizes
6x12x1.25 - 12x12x1.25 - 16x16x1.25 - 16x24x1.25 - 12x24x1.25 - 24x24x1.25 French Pattern 1.25




FRESKA LIMESTONE TUMBLED PAVER

Available in following sizes 12x12x1.25 - 16x24x1.25 - 12x24x1.25 - 24x24x1.25 French Pattern 1.25



DIANA ROYAL MARBLE SAND BLASTED PAVER

Available in following sizes 16x24x1.25 - 24x24x1.25 - 12x24x1.25 - French Pattern 1.25



BIANCO ROYAL MARBLE SAND BLASTED PAVER

Available in following sizes 12x24x1.25 - 16x24x1.25 - 24x24x1.25 - French Pattern 1.25





SKY WHITE MARBLE SAND BLASTED PAVER

Available in following sizes 6x12x1.25 - 16x24x1.25 - 12x24x1.25 - 24x24x1.25 - French Pattern 1.25



TUNDRA GREY MARBLE SAND BLASTED PAVER

Available in following sizes 12x24x1.25 - 16x24x1.25 - 24x24x1.25 - French Pattern 1.25





BLACK BASALT SAND BLASTED BRUSHED PAVER

Available in following sizes 12x24x1.25 - 16x24x1.25



GREY PEARL MARBLE SAND BLASTED

Available in following sizes 12x24x1.25 - 16x24x1.25 - 24x24x1.25 - French Pattern 1.25







AMAZON GREY MARBLE SAND BLASTED PAVER

Available in following sizes 16x24x1.25 - 12x24x1.25 - French Pattern 1.25



DIAMOND MARBLE TUMBLED PAVER

Available in following sizes 16x24x1.25 - 12x24x1.25 - French Pattern 1.25



ARGENTO MARBLE SAND BLASTED PAVER

Available in following sizes 12x24x1.25 - 16x24x1.25 - 24x24x1.25 - French Pattern 1.25



THUNDER MARBLE SAND BLASTED BRUSHED PAVER

Available in following sizes 12x24x1.25 - 16x24x1.25 - French Pattern 1.25














NUANCE TRAVERTINE POOL COPING



Available In Following Sizes 1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 6 X 12 Tumbled Pool Coping 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping

NOCE TRAVERTINE POOL COPING



24x36x2

Available In Following Sizes 1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 6 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)

Eased Edge Pool Coping 16x24x2, 12x24x2



Remodel Pool Coping 4x9x4, 6x12x4, 12x12x4

Eased Edge Pool Coping Drain 16x24x2, 12x24x2, 24x24x2, 6x12x1.25



IVORY TRAVERTINE POOL COPING



24x36x2

Available In Following Sizes 1.25 Inch / 4 X 9 Tumbled Pool Coping 1.25 Inch / 6 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 6 X 12 Tumbled Pool Coping 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)

TRAVERTINE POOL COPING



Available In Following Sizes

1.25 Inch / 6 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 6 X 12 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)

Remodel Pool Coping 4x9x4, 6x12x4, 12x12x4



Eased Edge Pool Coping 16x24x2, 12x24x2, 24x24x2, Drain 6x12x1.25




Remodel Pool Coping 4x9x4, 6x12x4, 12x12x4



Eased Edge Pool Coping 16x24x2, 12x24x2, 24x24x2, 24x36x2



Drain 6x12x1.25



LIGHT WALNUT TRAVERTINE POOL COPING



Available In Following Sizes

1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)

DARK WALNUT TRAVERTINE POOL COPING



Available In Following Sizes

Drain

1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)

Remodel Pool Coping 4x9x4, 6x12x4, 12x12x4



Eased Edge Pool Coping 16x24x2, 12x24x2, 24x24x2, 24x36x2



Drain 6x12x1.25



Remodel Pool Coping

Eased Edge Pool Coping 16x24x2, 12x24x2, 24x24x2, 24x36x2




6x12x1.25

POOL COPING

Pool copings create dissimilar and esthetic lines in modern design outdoor applications. Keep its unique appearance for many years by its resistance against the external influences and its unique structure.





LEONARDO TRAVERTINE POOL COPING



Available In Following Sizes
1.25 Inch / 12 X 24 Tumbled Pool Coping

1.25 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping



Eased Edge Pool Coping

PAGE 19 · COPYRIGHT 2022 FABER CNK USA. ALL RIGHTS RESERVED.

AUTUMN TRAVERTINE POOL COPING



Available In Following Sizes

1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 24 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)

Eased Edge Pool Coping 12x24x2, 16x24x2



SHELL STONE LIMESTONE POOL COPING



Available In Following Sizes

1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 1.25 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 16 X 24 Tumbled Pool Coping



LIMESTONE POOL COPING

Available In Following Sizes

1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 1.25 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 16 X 24 Tumbled Pool Coping



Eased Edge Pool Coping 12x24x2, 16x24x2, 24x24x2



Eased Edge Pool Coping 12x24x2, 16x24x2, 24x24x2

FRESKA



SKY WHITE MARBLE POOL COPING



Available In Following Sizes

1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose



Available In Following Sizes

1.25 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 16 X 24 Sand Blasted Pool Coping



Eased Edge Pool Coping



Eased Edge Pool Coping 12x24x2, 16x24x2, 24x24x2



BIANCO ROYAL MARBLE POOL COPING

DIANA ROYAL MARBLE POOL COPING



Available In Following Sizes
1.25 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 16 X 24 Sand Blasted Pool Coping



Available In Following Sizes

1.25 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 16 X 24 Sand Blasted Pool Coping





Eased Edge Pool Coping 12x24x2, 16x24x2, 24x24x2



Pool copings create dissimilar and esthetic lines in modern design outdoor applications. Keep its unique appearance for many years by its resistance against the external influences and its unique structure.

AMAZON GREY MARBLE POOL COPING

POOL COPING



Available In Following Sizes

1.25 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 16 X 24 Sand Blasted Pool Coping

Eased Edge Pool Coping 12x24x2, 16x24x2


ARGENTO MARBLE POOL COPING



Available In Following Sizes 1.25 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 16 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping

Eased Edge Pool Coping 12x24x2. 16x24x2

BLACK BASALT POOL COPING



PAGE 21 · COPYRIGHT 2022 FABER CNK USA. ALL RIGHTS RESERVED.


Available In Following Sizes

1.25 Inch / 12 X 24 Sand Blasted Brushed Pool Coping 2 Inch / 12 X 24 Sand Blasted Brushed Pool Coping 2 Inch / 16 X 24 Sand Blasted Brushed Pool Coping

Eased Edge Pool Coping



DIAMOND MARBLE POOL COPING



Available In Following Sizes 1.25 Inch / 12 X 24 Tumbled Pool Coping

2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping

Eased Edge Pool Coping 12x24x2, 16x24x2

THUNDER MARBLE POOL COPING



Available In Following Sizes

1.25 Inch / 12 X 24 Sand Blasted Brushed 2 Inch / 12 X 24 Sand Blasted Brushed

Eased Edge Pool Coping 12x24x2

GREY PEARL MARBLE POOL COPING




Available In Following Sizes 1.25 Inch / 12 X 24 Sand Blasted 2 Inch / 12 X 24 Sand Blasted

Eased Edge Pool Coping 12x24x2, 16x24x2









SPLIT FACE LEDGER PANEL MOSAICS



Classic Light Ledger Split Face Mosaic



Noce Ledger Split Face Mosaic



Leonardo Ledger Split Face Mosaic



Freska Ledger Split Face Mosaic



Bianco Royal Ledger Split Face Mosaic



Toros Black Ledger Split Face Mosaic



Diana Royal Ledger Split Face Mosaic



Silver Ledger Split Face Mosaic



Autumn Ledger Split Face Mosaic



Arizona Ledger Split Face Mosaic



Sky White Ledger Split Face Mosaic



Tundra Grey Ledger Split Face Mosaic



3D HONED LEDGER PANEL MOSAICS



Classic Light Honed Ledger Mosaic



Noce Honed Ledger Mosaic



Freska Honed Ledger Mosaic



Bianco Royal Honed Ledger Mosaic



LEDGER PANEL FLATS



PAGE 25 • COPYRIGHT 2022 FABER CNK USA. ALL RIGHTS RESERVED.

Black Slate Ledger Panel




Silver Honed Ledger Mosaic

Autumn Honed Ledger Mosaic

Toros Black Honed Ledger Mosaic

Sky White Honed Ledger Mosaic



Alaska Grey Ledger Panel

Golden Honey Ledger Panel

Royal White Ledger Panel



PLANKS



Classic Light Travertine Plank 6x24



Noce Travertine Plank 6x24



Leonardo Travertine Plank 6x24



Freska Limestone Plank 6x24



Bianco Royal Marble Plank 6x24



Toros Black Marble Plank 6x24



Silver Travertine Plank 6x24



Autumn Travertine Plank 6x24



Arizona Travertine Plank 6x24




Sky White Marble Plank 6x24





Tundra Grey Marble Plank 6x24



Diana Royal Marble Plank 6x24









SPLIT FACE MOSAICS


1x2 SPLIT FACE MOSAICS



Ivory 1x2 Split Face



Freska 1x2 Split Face




Bianco Royal 1x2 Split Face



Autumn 1x2 Split Face




Silver 1x2 Split Face



Toros Black 1x2 Split Face



Noce 1x2 Split Face




Sky White 1x2 Split Face




2x4 SPLIT FACE MOSAICS



Ivory Split Face



Bianco Royal 2x4 Split Face



Sky White 2x4 Split Face

1x1 CUBIC SPLIT FACE MOSAICS



Classic Light 1x1 Cubic Split Face


PAGE 29 · COPYRIGHT 2022 FABER CNK USA. ALL RIGHTS RESERVED.



Autumn 2x4 Split Face



Silver 2x4 Split Face



Toros Black 2x4 Split Face



Noce 1x1 Cubic Split Face



Noce 2x4 Split Face



Freska 2x4 Split Face



Diana Royal 2x4 Split Face




Silver 1x1 Cubic Split Face

GLASS MOSAICS



Lima Blue 1x2




Lima Blue 1x1








Calacatta 1x1






A368 1x1











GLASS MOSAICS


Miss A174 1x2




Miss A218 1x2




Neo Artistic Blend 1x2



Miss A174 1x1




Miss A218 1x1




Neo Artistic Blend 1x1

GLASS MOSAICS




Mexico 1x2




Como 1x2





Mexico 1x1



Como 1x1



GLASS MOSAICS






Rio 1x2 Rio 1x1





Cannes 1x2 Cannes 1x1





Monte 1x2 Monte 1x1





1. WATER ABSORPTION

Water absorption rate is one of the most important factors affecting the long-term use of products. The completely dry glass mosaics are thrown into boiling water, boiled for two hours, left to cool for four hours. The water absorption rate in its dry state is determined by the weight change after the test.

The water absorption test result of 10 samples selected from the Faber Cnk Usa glass mosaic collection is 0%.

2. SURFACE WEAR

Abrasion of glass mosaic surfaces may cause loss of color and gloss over time. Friction and contact is provided with abrasive steel balls and various oxidants on scratch-up glass mosaic surfaces. The cycle with changes in the surface forms the product strength class. The surfaces of Faber Cnk Usa glass mosaics did not change until 750-1500 cycles.

3. FROST RESISTANCE

Freezing of glass mosaics in extreme cold causes cracking and breaking. The most defining feature in freezing is water absorption resistance. Freezing and thawing is done 50-100 times on glass mosaics. Glass mosaics are kept at -5 ° C for 15 minutes and then heated to 5 ° C. As a result of the freezing test, damage and water absorption rate did not change in an of the 10 samples selected from the Faber Cnk Usa glass mosaic collection.

4. CHEMICAL RESISTANCE

Swimming pools, one of the areas where glass mosaics are used the most, are areas where chemicals are used extensively and mosaic surfaces must have high strength.

Glass mosaics; ammonium chloride, sodium hypochlorite, acid and alkali are kept in solutions prepared in low and high concentrations. Faber Cnk Usa glass mosaic surfaces have been determined as Class A, the highest class of this test, as a result of chemical tests.

5. STAIN RESISTANCE


The resistance of glass mosaics to stains is important for long life and use like the first day. Glass mosaics; The thin oil with dye is kept in 13g / I iodine solution, olive oil and hot water above 55 ° C.

The surfaces of Faber Cnk Usa glass mosaics have been determined as the 5th grade as a result of the staining resistance test, the highest class of this test.










WHITE PORTLAND CEMENT





1 GENERAL INFORMATION

Çimsa Super White Cement (CEM I 52.5R) is preferred in more than 70 countries in the world with its stability and high strength.

The advantages offered by **Çimsa Super White** Cement to the Applications;

- · High early and final strength,
- · Fast production possibility,
- · High whiteness,
- · Low alkali content.

2 APPLICATION AREA

Çimsa Super White Cement application areas are;

- · Construction chemical productions,
- · Precast productions,
- · Terrazzo tile productions,
- · Pumice productuctions,
- · Autoclaved aerated concrete productions,
- · Exposed concrete.

3 PRODUCTION

Stability is the focal point of the Çimsa production plants and the variability in the product parameters is minimized by the controls at each stage during the process from raw material to delivery. Production processes are certified according to EN ISO 9001 and EN ISO 18001 standards.

4 PHASE COMPOSITION

5 WHITENESS

Whiteness of the **Çimsa Super White** Cement is done according to L, a, b, and Y values with regard to Hunter Lab systematic.

| L (Brigthness) | 92.2 |
|----------------|-------|
| a (Greenness) | -1.65 |
| b (Yellowness) | 2.90 |
| Y (Whiteness) | 85,0 |

6 CHEMICAL FEATURES

| Features | Çimsa Values | Standart Limits (EN 197-1) Min. Max. | |
|--------------------------------|-----------------|--|-----|
| Insoluble Residue | 0.18 % | - | 5.0 |
| SiO ₂ | 21.6 % | - | - |
| Al ₂ O ₃ | 4.05 % | - | - |
| Fe ₂ O ₃ | 0.28 % | - | - |
| CaO | 65.7 % | - | - |
| MgO | 1.30 % | - | - |
| SO ₃ | 3.50 % | - | 4.0 |
| Ignition Loss | 3.50 % | - | 5.0 |
| Na ₂ O | 0.30 % | - | - |
| K ₂ O | 0.35 % | - | - |
| Chlorine (CI) | 0.01 % | - | - |
| Free CaO | 2.20 % | - | - |

7 PHYSICAL AND MECHANICAL FEATURES

| Features | Çimsa Values | | Standart Limits (EN 197-1) | |
|--------------------------------|-----------------|------|-------------------------------|------|
| | | | Min. | Max. |
| Specific Gravity | g/cm³ | 3.06 | - | - |
| Blaine | cm²/g | 4600 | - | - |
| Whiteness Y | % | 85.5 | - | - |
| Vicat İnitial Set | Minute | 100 | 45.0 | - |
| Vicat Final Set | Minute | 130 | - | - |
| Water | 30.0 | % | - | - |
| Stability (Le Chatelier) | mm | 1.0 | - | 10.0 |
| Residue at 45 (microns) | 1.0 | % | - | - |
| Residue at 90 (microns) | 0.1 | % | - | - |
| Compressive Strength (2 days) | MPa | 37.0 | 30.0 | - |
| Compressive Strength (7 days) | MPa | 50.0 | - | - |
| Compressive Strength (28 days) | MPa | 60.0 | 52.5 | - |

8 QUALITY CONTROL

Çimsa Super White Cement is subject to quality control conforming to EN 197-1 standards. It is presented to foreign markets with CE certified.

9 SAFETY INSTRUCTIONS


Standard safety requirements for general cements are followed. Please refer to the **Çimsa Super White** Cement Safety Data Sheet for more information.

10 STORAGE CONDITIONS AND SHELF LIFE

Çimsa Super White Cement must be stored in dry and sheltered conditions. In this case, it will retain its properties for at least 6 months. No more than 10 bags or 2 pallets should be stacked in a row. The product must be stored in its original package. In cases where it is not used, the mouth of the package must be tightly closed.







CUSTOM FABRICATION

We have an in-house fabricator, so any special order pieces we can provide quickly and efficiently. This also allows us to quickly quote projects with custom pieces. Whether you need a custom size, double or multiple bull nosed sides, we will happily provide them for you.











Houston Office: 6500 Long Point Rd Houston, TX 77055 Ph: 832-831-7222 Dallas Office: 2207 Joe Field Rd Dallas, TX 75229 Ph: 469-206-3614

Austin Office: 2112 Rutland drive #179 Austin to 78758

www.fabercnkstone.com

info@fabercnkstone.com