







Contents


Paver 4-29
Pool Coping 30-37
Mosaic 38-65
Pool Tile 66-71
Construction 72-77
Custom Fabrication 78-79




















Ivory paver tiles are commonly used for outdoor paving applications such as patios, walkways, driveways, and pool decks, as well as for indoor applications like flooring in bathrooms, kitchens, and other living spaces. They provide a clean, elegant look that complements a variety of architectural styles and design aesthetics.


Available in following sizes 6×12×1.25 - 12×12×1.25 - 16×16×1.25 - 16×24×1.25 - 12×24×1.25 24×24×1.25 - 24×36×1.25 - French Pattern 1.25



Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.








Silver paver tiles can add a modern and sophisticated touch to your space, whether you're designing a contemporary patio, a sleek walkway, or an elegant indoor floor. They can complement a wide range of design styles, from minimalist and industrial to upscale and luxurious.

Available in following sizes 6×12×1.25 - 12×12×1.25 - 16×16×1.25 - 16×24×1.25 - 12×24×1.25 24×24×1.25 - 24×36×1.25 - French Pattern 1.25



Also available in










When choosing Dark Walnut paver tiles, consider factors such as material durability, slip resistance, ease of maintenance, and the overall aesthetic you want to achieve. Additionally, ensure proper installation and use of suitable sealants to protect the tiles and maintain their appearance over time.

Available in following sizes 6×12×1.25 - 12×12×1.25 - 16×24×1.25 - 12×24×1.25 - 24×24×1.25 French Pattern 1.25




Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.

Also available in



Whether you're creating a sleek outdoor entertainment area or a chic indoor living space, Light Walnut paver tiles can help you achieve a sophisticated look that enhances the beauty and functionality of your project.

Available in following sizes 16×24×1.25 - 12×24×1.25 - 24×24×1.25 - French Pattern 1.25



Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.


Also available in






Nuance travertine paver tiles are a stylish choice for both indoor and outdoor paving projects. These tiles typically come in various materials such as natural stone, porcelain, or concrete, with finishes that mimic the appearance of silver or metallic surfaces.

Available in following sizes 6×12×1.25 - 12×12×1.25 - 16×16×1.25 - 16×24×1.25 - 12×24×1.25 - 24×24×1.25 - French Pattern 1.25



Also available in

Coping Page 36



Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.








Noce paver tiles are popular for both indoor and outdoor applications due to their versatility and aesthetic appeal. They can be made from various materials such as natural stone (like travertine or limestone), porcelain, or concrete, each offering unique characteristics in terms of durability, texture, and maintenance requirements.

Available in following sizes 6×12×1.25 - 12×12×1.25 - 16×16×1.25 - 16×24×1.25 - 12×24×1.25 - 24×24×1.25 - 24×36×1.25 - French Pattern 1.25



Also available in

Coping















These tiles are commonly used in outdoor paving projects such as patios, walkways, driveways, and pool decks, as well as indoor applications like flooring in kitchens, bathrooms, and living areas. They add warmth and richness to spaces, complementing a wide range of design styles from traditional to rustic to contemporary.

Available in following sizes 6×12×1.25 - 16×24×1.25 - 12×24×1.25 - French Pattern 1.25





Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.



Country Classic Travertine paver tiles can add a modern and sophisticated touch to your space, whether you're designing a contemporary patio, a sleek walkway, or an elegant indoor floor. They can complement a wide range of design styles, from minimalist and industrial to upscale and luxurious.

Available in following sizes French Pattern 1.25


















"Autumn" paver tiles typically refer to tiles with colors and tones reminiscent of the autumn season. These tiles often feature warm, earthy hues such as red, orange, brown, and gold, reflecting the colors of falling leaves and changing landscapes during the autumn months.

Available in following sizes 6×12×1.25 - 16×24×1.25 - 12×24×1.25 - French Pattern 1.25



Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.








These paver tiles typically have a light, creamy color with subtle variations and flecks of fossilized material, creating a visually appealing and natural aesthetic. Shellstone limestone pavers are commonly used in outdoor paving projects such as patios, pool decks, pathways, and driveways, as well as indoor applications like flooring in kitchens, bathrooms, and living areas.

Available in following sizes 6×12×1.25 - 12×12×1.25 - 16×16×1.25 - 16×24×1.25 - 12×24×1.25 - 24×24×1.25 - French Pattern 1.25



Coping Page 38














When using Vanilla Limestone paver tiles, it's essential to seal them properly to protect against staining and moisture absorption. Regular cleaning and maintenance will help preserve the beauty and integrity of the stone over time, ensuring a long-lasting and visually appealing paving project.

Available in following sizes 6×12×1.25 - 16×24×1.25 - 12×24×1.25 - French Pattern 1.25



Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.










The beige color of these paver tiles adds a neutral and versatile aesthetic to outdoor spaces, complementing various design styles and surroundings. They are commonly used in areas such as pool decks, patios, walkways, and outdoor staircases, where safety is a primary concern.

Available in following sizes 16×24×1.25 - 24×24×1.25 - 12×24×1.25 - French Pattern 1.25












Bianco Royal paver tiles are a type of natural stone tile known for their elegance and luxurious appearance. "Bianco" means white in Italian, and "Royal" suggests a high-quality and regal nature. These tiles are typically made from marble, a metamorphic rock known for its distinctive veining and beautiful aesthetic.

Available in following sizes 12×24×1.25 - 16×24×1.25 - 24×24×1.25 - French Pattern 1.25















Tundra Grey marble paver tiles offer a sleek and contemporary option for outdoor paving projects. These tiles are made from natural marble, a metamorphic rock prized for its beauty, durability, and unique veining patterns. Grey marble pavers typically feature various shades of grey, ranging from light to dark, creating a sophisticated and modern look.

Available in following sizes 12×24×1.25 - 16×24×1.25 - 24×24×1.25 - French Pattern 1.25



















Available in following sizes 12×24×1.25 - 16×24×1.25 - 24×24×1.25 - French Pattern 1.25



Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.

One of the advantages of using Grey Pearl marble paver tiles is their durability. Marble is a dense and hard-wearing material that can withstand heavy foot traffic and outdoor elements with proper sealing and maintenance. Additionally, the natural variations in color and veining make each tile unique, adding visual interest to the paved surface.

Also available in

Coping Page 41











When selecting Amazon Grey marble paver tiles, consider factors such as veining patterns, finish (leathered), thickness, and overall quality. Proper installation by experienced professionals and regular sealing and maintenance are essential to preserve the beauty and longevity of grey marble pavers, ensuring a stunning and durable outdoor paving project.

Available in following sizes 16×24×1.25 - 12×24×1.25 - French Pattern 1.25



Coping Page 40










Marble is prized for its natural beauty and durability, making Argento marble pavers a popular choice for both residential and commercial projects. Additionally, the veining and variations in color inherent in marble add character and visual interest to the paved surface.


Available in following sizes 12×24×1.25 - 16×24×1.25 - 24×24×1.25 - French Pattern 1.25



Also available in

Coping Page 40













When using Faber Platinum Ice paver tiles, it's essential to seal them with a high-quality sealant to protect against stains and moisture absorption. Regular cleaning and maintenance will help preserve the beauty and integrity of the marble over time, ensuring a lasting and visually stunning paving project.

Available in following sizes 16×24×1.25 - 12×24×1.25 - French Pattern 1.25




Also available in

Coping Page 40











Sky White marble paver tiles offer a luxurious and sophisticated option for outdoor paving projects. These tiles are crafted from natural marble, a metamorphic rock known for its elegance, durability, and unique veining patterns. The combination of white and grey tones in marble creates a timeless aesthetic that adds elegance to any space.

Available in following sizes 6×12×1.25 - 16×24×1.25 - 12×24×1.25 - 24×24×1.25 French Pattern 1.25




Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.

Basalt paver tiles are crafted from basalt, a type of volcanic rock that forms from the rapid cooling of lava. Basalt is known for its durability, strength, and distinctive appearance, making it a popular choice for outdoor paving projects. Available in following sizes 12×24×1.25 - 16×24×1.25 Also available in



Coping Page 40














These pavers are commonly used for outdoor applications such as patios, walkways, pool decks, and driveways, as well as indoor spaces like entryways, kitchens, and bathrooms. The grey and silver tones of Thunder marble pavers can complement a variety of design styles, from contemporary to traditional.

Available in following sizes 12×24×1.25 - 16×24×1.25 - French Pattern 1.25




Also available in


Coping Page 41



Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.



Available in following sizes 24×24 - 24×36



Porcelain paver tiles are a type of durable, weather-resistant flooring option commonly used in outdoor spaces such as patios, walkways, pool decks, and other exterior areas. These tiles are made from high-quality porcelain clay that is fired at very high temperatures, resulting in a dense, hard material that is highly resistant to water absorption, stains, scratches, and fading from UV exposure.

Available in following sizes 24×24 - 24×36




Porcelain paver tiles are a type of durable, weather-resistant flooring option commonly used in outdoor spaces such as patios, walkways, pool decks, and other exterior areas. These tiles are made from high-quality porcelain clay that is fired at very high temperatures, resulting in a dense, hard material that is highly resistant to water absorption, stains, scratches, and fading from UV exposure.


Available in following sizes 24×24 - 24×36

Natural stone is categorized into three basic trademark classifications by their respective formation processes: color, marking and texture.









Nuance Travertine Pool Coping



Available In Following Sizes 1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 6 X 12 Tumbled Pool Coping 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping

Noce Travertine Pool Coping



24x36x2

Available In Following Sizes 1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 6 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)

Eased Edge Pool Coping 16x24x2, 12x24x2



Remodel Pool Coping 4x9x4, 6x12x4, 12x12x4



Eased Edge Pool Coping Drain 16x24x2, 12x24x2, 24x24x2, 6x12x1.25



Travertine Pool Coping



Drain

6x12x1.25

Available In Following Sizes 1.25 Inch / 4 X 9 Tumbled Pool Coping 1.25 Inch / 6 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 6 X 12 Tumbled Pool Coping 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)

Travertine Pool Coping



Available In Following Sizes 1.25 Inch / 6 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 6 X 12 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 12 Tumbled Pool Coping

2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)



Eased Edge Pool Coping 16x24x2, 12x24x2, 24x24x2, 24x36x2



Remodel Pool Coping 4x9x4, 6x12x4, 12x12x4



Eased Edge Pool Coping

Drain 6x12x1.25



Light Walnut Travertine Pool Coping



Available In Following Sizes

1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)

Dark Walnut Travertine Pool Coping



Available In Following Sizes

1.25 Inch / 12 X 12 Tumbled Pool Coping 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 12 X 12 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose (18 side)





Eased Edge Pool Coping 16x24x2, 12x24x2, 24x24x2, 24x36x2



6x12x1.25



4x9x4, 6x12x4, 12x12x4


Eased Edge Pool Coping 16x24x2, 12x24x2, 24x24x2, 24x36x2



6x12x1.25







PAGE 37 • COPYRIGHT 2023 FABER CNK USA. ALL RIGHTS RESERVED.







Leonardo Travertine Pool Coping



Autumn Travertine Pool Coping



Shell Stone **Limestone** Pool Coping



Available In Following Sizes 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 1.25 Inch / 16 X 24 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 16 X 24 Tumbled Pool Coping



Limestone Pool Coping

Vanilla



Available In Following Sizes
1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose 1.25 Inch / 16 X 24 Tumbled Double Build 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 18 Tumbled Double Bullnose 2 Inch / 16 X 24 Tumbled Pool Coping

Eased Edge Pool Coping 12x24x2, 16x24x2, 24x24x2





Sky White Tundra Grey Marble Pool Coping Marble Pool Coping



Available In Following Sizes 1.25 Inch / 12 X 24 Tumbled Pool Coping 1.25 Inch / 16 X 24 Tumbled Pool Coping 1.25 Inch / 12 X 18 Tumbled Double Bullnose

2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping





2 Inch / 12 X 18 Tumbled Double Bullnose


Eased Edge Pool Coping 12x24x2, 16x24x2, 24x24x2



Available In Following Sizes
1.25 Inch / 12 X 24 Sand Blasted Pool Coping
2 Inch / 12 X 24 Sand Blasted Pool Coping
2 Inch / 16 X 24 Sand Blasted Pool Coping







PAGE 39 • COPYRIGHT 2023 **FABER CNK USA**. ALL RIGHTS RESERVED.



Diana Royal Marble Pool Coping



Available In Following Sizes 1.25 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 16 X 24 Sand Blasted Pool Coping

Eased Edge Pool Coping 12x24x2, 16x24x2, 24x24x2



Blue Stone Marble Pool Coping



Available In Following Sizes

1.25 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping

Eased Edge Pool Coping 12x24x2, 16x24x2



Amazon Grey Marble Pool Coping



Available In Following Sizes 1.25 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 16 X 24 Sand Blasted Pool Coping

Eased Edge Pool Coping 12x24x2, 16x24x2



Bianco Royal Marble Pool Coping



Available In Following Sizes 1.25 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 16 X 24 Sand Blasted Pool Coping

Eased Edge Pool Coping 12x24x2, 16x24x2, 24x24x2



Faber Platinum Ice Marble Pool Coping



Available In Following Sizes

1.25 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 12 X 24 Tumbled Pool Coping 2 Inch / 16 X 24 Tumbled Pool Coping

Eased Edge Pool Coping 12x24x2, 16x24x2



Argento Marble Pool Coping



Available In Following Sizes 1.25 Inch / 12 X 24 Sand Blasted Pool Coping 2 Inch / 16 X 24 Sand Blasted Pool Coping 2 Inch / 12 X 24 Sand Blasted Pool Coping

Eased Edge Pool Coping 12x24x2, 16x24x2







Thunder Marble Pool Coping



Available In Following Sizes 1.25 Inch / 12 X 24 Sand Blasted Brushed 2 Inch / 12 X 24 Sand Blasted Brushed

Eased Edge Pool Coping 12x24x2

Black Basalt Pool Coping



Available In Following Sizes

1.25 Inch / 12 X 24 Sand Blasted Brushed Pool Coping 2 Inch / 12 X 24 Sand Blasted Brushed Pool Coping 2 Inch / 16 X 24 Sand Blasted Brushed Pool Coping

Eased Edge Pool Coping 16x24x2

Grey Pearl Marble Pool Coping



Available In Following Sizes 1.25 Inch / 12 X 24 Sand Blasted


2 Inch / 12 X 24 Sand Blasted 2 Inch / 16 X 24 Sand Blasted

Eased Edge Pool Coping 12x24x2, 16x24x2









Split Face Ledger Panel Mosaics



Classic Light Ledger Split Face Mosaic




Noce Ledger Split Face Mosaic



Silver Ledger Split Face Mosaic



Autumn Ledger Split Face Mosaic



Split Face Ledger Panel Mosaics



Leonardo Ledger Split Face Mosaic




Vanilla Ledger Split Face Mosaic



Sky White Ledger Split Face Mosaic



Bianco Royal Ledger Split Face Mosaic



Split Face Ledger Panel Mosaics




Tundra Grey Ledger Split Face Mosaic



Toros Black Ledger Split Face Mosaic



Diana Royal Ledger Split Face Mosaic



Ledger Panel Flats



Alaska Grey Ledger Panel



Black Slate Ledger Panel



Golden Honey Ledger Panel



Royal White Ledger Panel



3D Honed Ledger Panel Mosaics



Classic Light Honed Ledger Mosaic




Silver Honed Ledger Mosaic



Noce Honed Ledger Mosaic



Autumn Honed Ledger Mosaic



3D Honed Ledger Panel Mosaics



Vanilla Honed Ledger Mosaic




Toros Black Honed Ledger Mosaic



Bianco Royal Honed Ledger Mosaic



Sky White Honed Ledger Mosaic



Textured Carding Wall Panel



Classic Light Travertine Plank 6×24




Silver Travertine Plank 6×24



Noce Travertine Plank 6×24



Autumn Travertine Plank 6×24



Textured Carding Wall Panel



Leonardo Travertine Plank 6×24




Vanilla Limestone Plank 6×24



Sky White Marble Plank 6×24



Bianco Royal Marble Plank 6×24



Textured Carding Wall Panel




Tundra Grey Marble Plank 6×24



Toros Black Marble Plank 6×24



Diana Royal Marble Plank 6×24



1×2 Split Face Mosaics



Ivory 1×2 Split Face



Autumn 1×2 Split Face



Noce 1×2 Split Face



Vanilla 1×2 Split Face



Silver 1×2 Split Face



Sky White 1×2 Split Face



Bianco Royal 1×2 Split Face



Toros Black 1×2 Split Face

Ivory Split Face



Bianco Royal 2×4 Split Face



Sky White 2×4 Split Face

Classic Light 1×1 Cubic Split Face

PAGE 63 • COPYRIGHT 2023 FABER CNK USA. ALL RIGHTS RESERVED.




2×4 Split Face Mosaics

Autumn 2×4 Split Face



Silver 2×4 Split Face



Toros Black 2×4 Split Face



Noce 2×4 Split Face



Vanilla 2×4 Split Face



Diana Royal 2×4 Split Face

1×1 Cubic Split Face Mosaics




Noce 1×1 Cubic Split Face




Silver 1×1 Cubic Split Face

Glass Mosaics












Glass Mosaics Glass Mosaics



Glass Mosaics





Rio 1×1


Rio 1×2






Cannes 1×2

Cannes 1×1





Monte 1×2

Monte 1×1



1. WATER ABSORPTION

Water absorption rate is one of the most important factors affecting the long-term use of products. The completely dry glass mosaics are thrown into boiling water, boiled for two hours, left to cool for four hours. The water absorption rate in its dry state is determined by the weight change after the test. The water absorption test result of 10 samples selected from the Faber Cnk Usa glass mosaic collection is 0%.

2. SURFACE WEAR

Abrasion of glass mosaic surfaces may cause loss of color and gloss over time. Friction and contact is provided with abrasive steel balls and various oxidants on scratch-up glass mosaic surfaces. The cycle with changes in the surface forms the product strength class. The surfaces of Faber Cnk Usa glass mosaics did not change until 750-1500 cycles.

3. FROST RESISTANCE

Freezing of glass mosaics in extreme cold causes cracking and breaking. The most defining feature in freezing is water absorption resistance. Freezing and thawing is done 50-100 times on glass mosaics. Glass mosaics are kept at -5 ° C for 15 minutes and then heated to 5 ° C. As a result of the freezing test, damage and water absorption rate did not change in an of the 10 samples selected from the Faber Cnk Usa glass mosaic collection.

4. CHEMICAL RESISTANCE

Swimming pools, one of the areas where glass mosaics are used the most, are areas where chemicals are used extensively and mosaic surfaces must have high strength. Glass mosaics; ammonium chloride, sodium hypochlorite, acid and alkali are kept in solutions prepared in low and high concentrations. Faber Cnk Usa glass mosaic surfaces have been determined as Class A, the highest class of this test, as a result of chemical tests.


5. STAIN RESISTANCE

The resistance of glass mosaics to stains is important for long life and use like the first day. Glass mosaics; The thin oil with dye is kept in 13g / I iodine solution, olive oil and hot water above 55 ° C. The surfaces of Faber Cnk Usa glass mosaics have been determined as the 5th grade as a result of the staining resistance test, the highest class of this test.









Pool Tiles







Manila Azul 6×6


Manila Blanco 6×6





Ónice Azul 6×6


Bali Aqua 6×6





Bali Azul 6×6

Samoa Aqua 6×6



PAGE 73 • COPYRIGHT 2023 **FABER CNK USA**. ALL RIGHTS RESERVED.

Pool Tiles





Samoa Azul 6×6

Samoa Turquie 6×6




Samoa Verde 6×6












White Portland Cement





1 GENERAL INFORMATION

Çimsa Super White Cement (CEM I 52.5R) is preferred in more than 70 countries in the world with its stability and high strength.

The advantages offered by **Çimsa Super White** Cement to the Applications;

- · High early and final strength,
- · Fast production possibility,
- · High whiteness,
- · Low alkali content.

2 APPLICATION AREA

Çimsa Super White Cement application areas are;

- · Construction chemical productions,
- · Precast productions,
- · Terrazzo tile productions,
- · Pumice productuctions,
- · Autoclaved aerated concrete productions,
- · Exposed concrete.

3 PRODUCTION

Stability is the focal point of the Çimsa production plants and the variability in the product parameters is minimized by the controls at each stage during the process from raw material to delivery. Production processes are certified according to EN ISO 9001 and EN ISO 18001 standards.

4 PHASE COMPOSITION

5 WHITENESS

Whiteness of the **Çimsa Super White** Cement is done according to L, a, b, and Y values with regard to Hunter Lab systematic.

L (Brigthness)	92.2		
a (Greenness)	-1.65		
b (Yellowness)	2.90		
Y (Whiteness)	85,0		

6 CHEMICAL FEATURES

Features	Çimsa Values	Standart Limits (EN 197-1) Min. Max.	
Insoluble Residue	0.18 %	-	5.0
SiO ₂	21.6 %	-	-
Al_2O_3	4.05 %	-	-
Fe ₂ O ₃	0.28 %	-	-
CaO	65.7 %	-	-
MgO	1.30 %	-	-
SO ₃	3.50 %	-	4.0
Ignition Loss	3.50 %	-	5.0
Na ₂ O	0.30 %	-	-
K ₂ O	0.35 %	-	-
Chlorine (CI)	0.01 %	-	-
Free CaO	2.20 %	-	-

7 PHYSICAL AND MECHANICAL FEATURES

Features	Çimsa Values		Standart Limits (EN 197-1)	
			Min.	Max.
Specific Gravity	g/cm³	3.06	-	-
Blaine	cm²/g	4600	-	-
Whiteness Y	%	85.5	-	-
Vicat İnitial Set	Minute	100	45.0	-
Vicat Final Set	Minute	130	-	-
Water	30.0	%	-	-
Stability (Le Chatelier)	mm	1.0	-	10.0
Residue at 45 (microns)	1.0	%	-	-
Residue at 90 (microns)	0.1	%	-	-
Compressive Strength (2 days)	MPa	37.0	30.0	-
Compressive Strength (7 days)	MPa	50.0	-	-
Compressive Strength (28 days)	MPa	60.0	52.5	-

8 QUALITY CONTROL


Çimsa Super White Cement is subject to quality control conforming to EN 197-1 standards. It is presented to foreign markets with CE certified.

9 SAFETY INSTRUCTIONS

Standard safety requirements for general cements are followed. Please refer to the **Çimsa Super White** Cement Safety Data Sheet for more information.


10 STORAGE CONDITIONS AND SHELF LIFE

Çimsa Super White Cement must be stored in dry and sheltered conditions. In this case, it will retain its properties for at least 6 months. No more than 10 bags or 2 pallets should be stacked in a row. The product must be stored in its original package. In cases where it is not used, the mouth of the package must be tightly closed.









Custom Fabrication

We have an in-house fabricator, so any special order pieces we can provide quickly and efficiently. This also allows us to quickly quote projects with custom pieces. Whether you need a custom size, double or multiple bull nosed sides, we will happily provide them for you.







Houston:

16215 Waverly Road, Houston, TX 77032 Ph:+1 (832) 831-7222

Dallas:

2207 Joe Field Rd Dallas, TX 75229 Ph: 469-206-3614 Ph:+1 (469) 206-3614

Austin:

2112 Rutland Drive Unit 179 Austin, TX 78758 Ph:+1 (512) 300-3344

San Antonio:

6910 Ne I-410 Loop Access Rd Suite 215 San Antonio, Tx 78219 Ph: +1 (512) 550-0850

www.fabercnkstone.com info@fabercnkstone.com